TE Internal #: 1-1747981-4

HDMI Connectors, Receptacle, Standard Profile, 1 Port, Top, Right Angle, Surface Mount, Pick and Place Cover, 260°C Soldering

Temperature (Max)

View on TE.com >



Connectors > Audio & Video Connectors > HDMI Connectors











Connector & Housing Type: Receptacle

Connector Profile: Standard

Number of Ports: 1

PCB Mount Location: Top

PCB Mount Orientation: Right Angle

### **Features**

## Product Type Features

Grounding Options	Panel Ground
Ground Component Type	M3 Threaded Hole
Connector & Housing Type	Receptacle
Connector System	Cable-to-Board
Connector & Contact Terminates To	Printed Circuit Board
Product Type	Connector

## **Configuration Features**

Panel Ground Location	Тор
Stacked	No
Number of Ports	1
PCB Mount Orientation	Right Angle
Number of Positions	19
Preloaded	Yes

# **Body Features**



Shell Plating Finish	Matte
Connector Profile	Standard
Shell Plating Material	Tin
Contact Features	
Contact Current Rating (Max)	.5 A
Contact Mating Area Plating Material	Gold Flash over Palladium Nickel
Contact Mating Area Plating Thickness	.1 μm[3.937 μin]
Termination Features	
Termination Method to Printed Circuit Board	Surface Mount
Mechanical Attachment	
Locating Posts	Without
PCB Mount Retention Type	Straight Leg
PCB Mount Location	Тор
Connector Mounting Type	Board Mount
Housing Features	
Centerline (Pitch)	1 mm[.039 in]
Housing Color	Black
Dimensions	
PCB Thickness (Min)	1.6 mm[.063 in]
Tail Length	1.1 mm, 1.6 mm[.043 in][.061 in]
Usage Conditions	
Mating Cycles (Max)	10000
Soldering Temperature (Max)	260 °C
Operating Temperature Range	-25 – 70 °C[-13 – 158 °F]
Operation/Application	
Assembly Process Feature	Pick and Place Cover
Circuit Application	Signal
Packaging Features	
Packaging Method	Box & Tray, Tray

# **Product Compliance**

For compliance documentation, visit the product page on TE.com>



EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUN 2020 (209) Candidate List Declared Against: JAN 2020 (205) SVHC > Threshold: Not Yet Reviewed
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Reflow solder capable to 245°C

#### Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

# Compatible Parts



# Customers Also Bought





Wirewound Resistor: Vertical Mount



TE Part #787082-9 100 50SR R/A RCPT, RESESIGN



TE Part #1-1462051-3 Signal Relays: SMT, PCB mount, 2 amp



TE Part #3-2232516-1 SCSI .050 REC ASS'Y 26P PB-FREE



TE Part #1744418-3 3 POS EP 2.5 HDR, GLOW WIRE



TE Part #3-1775801-6 PCI EXPRESS 98P(3.1)(30")BLACK



TE Part #8-1393640-3 V42254B2201C410=PC612 FEDERLEI





TE Part #1-1410297-5 MULTIGIG RT KEY/ESD .8" 180 DEG



### **Documents**

**Product Drawings** 

Std HDMI, RA, SMT, Panel grd, Flange

English

**CAD Files** 

3D PDF

3D

**Customer View Model** 

ENG\_CVM\_CVM\_1-1747981-4\_L.2d\_dxf.zip

English

**Customer View Model** 

ENG\_CVM\_CVM\_1-1747981-4\_L.3d\_igs.zip

English

**Customer View Model** 

ENG\_CVM\_CVM\_1-1747981-4\_L.3d\_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use

Datasheets & Catalog Pages



### Connectors & Cable Assemblies Incorporating HDMI Technology

English

**Product Specifications** 

**HDMI CONNECTOR** 

Japanese

**Product Specification** 

Japanese

**Product Specification** 

Japanese

HDMI 19 POS

Japanese

Product Environmental Compliance

**Product Compliance** 

English

**Product Compliance** 

English