



**CONNECTORS**

**AUTOMOTIVE CONNECTOR CAPS & COVERS**



✓ Active

TE CONNECTIVITY (TE)

## COVER, 90

AMP | AMP MCP Connector System , Heavy Duty Sealed Connector Systems (HDSCS)

1563110-1

TE Internal Number: 1563110-1

EU RoHS Compliant

EU ELV Compliant

**Accessory Type** Cover - Cable Exit

**Cable Exit Angle** 90 (Right Angle)

**Strain Relief** With

**Color** Black

**Material** PA

[↓ PRODUCT DRAWING](#)  
English

[↓ 3D PDF](#)

### DOCUMENTATION

Product Drawings

#### **COVER, 90 Kappe, 90 Grad HDSCS - GROUP D**

PDF (TIFF AVAILABLE)

**English**

CAD Files

#### **Customer View Model**

2D\_DXF.ZIP

**English**

#### **3D PDF**

PDF

**3D**

## Customer View Model

3D\_IGS.ZIP

English

## Customer View Model

3D\_STP.ZIP

English

---

Catalog Pages/Data Sheets

## Heavy Duty Sealed Connector Series (HDSCS)

PDF

English

---

Product Specifications

Application Specification

## Heavy Duty Sealed Connector Series (HDSCS) 2 To 18 Poles For AMP MCP\* Contact Systems

PDF

English

Product Specification

## Heavy Duty Sealed Connector Series 2 To 18 Positions For AMP MCP Contact Systems

PDF

German

---

## FEATURES



Please review product documents or [contact us](#) for the latest agency approval information.

Please Note: Use the Product Drawing for all design activity.

---

### Product Type Features

**Accessory Type** Cover - Cable Exit

**Strain Relief** With

**Connector System** Wire-to-Board, Wire-to-Device

---

### Body Features

**Cable Exit Angle** 90 (Right Angle)

**Color** Black

**Material** PA

---

### Dimensions

**Cable Bundle Diameter** 14.1 mm [ .555 in ]

---

### Usage Conditions

**Operating Temperature Range** -40 – 120 °C [ -40 – 248 °F ]

---

### Industry Standards

**UL Flammability Rating** UL 94-HB

---

Packaging Features

**Packaging Method** Box

**Packaging Quantity** 700

---

Other

**Serviceable** Yes

---

**PRODUCT COMPLIANCE**



Statement of Compliance

**Statement of Compliance**

PDF

---