

RELIFE

ELECTRONIC REWORK FLUX

RL-428-OR



RELIFE

FLUX PASTE

RL-428-OR

WET:100g

LOT#:RL-2018-001

- CAUTION:**
- The flux is weakly alkaline. Do not enter the eyes or mouth. Rinse with water after use.
 - Flux products are corrosive to metals.
 - The flux should be stored in a closed container in a cool, dry and well-ventilated place.
 - When operating, please wear safety glasses, masks, rubber gloves and other protective equipment.
 - Avoid direct contact with aluminum flux.
 - Avoid discharging residual flux directly into the sewer.
 - Containers may still contain hazardous liquid after use and should be kept away from children.
 - After using flux, wash hands before eating or smoking.

Guangzhou Sunshine Electronics





Electronic rework flux

RL-428-OR



Motherboard planting tin



Circuit board planting tin



All kinds
of electrical maintenance

| | |
|---------------------------|---|
| BRAND | RELIFE |
| PRODUCT NAME | FLUX PASTE |
| MODEL | RL-428-OR |
| SIZE | 65mmX75mm |
| NET WEIGHT | 100g |
| GROSS WEIGHT | 145g/ bottle 1.29kg/box(8 bottle) |
| PACKAGING MATERIAL | PP PLASTIC |
| FEATURES | Japanese imported rosin, High viscosity, Strong activity, No residue |

