



RELIFE

HAVE YOU EVER HAD SUCH AN ANNOYANCE?

The soldering wick is stretched, the volume does not go in, and it is a mess?

The soldering wick is not tight, the adsorption solder paste is not clean,

The hand is too close, and it is hot?

The quality of the soldering wick is too bad,

The adsorption is not clean,

Affecting the work efficiency?



RELIFE Strong Soldering Wick

RELIFE



Pure Copper Precision Weaving Design

Efficiently absorb excess solder when removing tin
Clean solder holes, Adsorption tin paste clean, Low residue
Suitable for precision circuit board use
Reduces the risk of damage to the motherboard



RELIFE

Fine chemical formula
Fast heat conduction/Anti-corrosion/
Oxidation resistance/Adsorption tin paste clean/Good on tin

Suitable for use in various PCB boards, etc.



RELIFE

Anti-scalding Cooling Nozzle

Stainless steel heat-dissipating nozzle design
Easy to operate, Not hot

RELIFE

Grip Quality Housing



Ergonomic design, easy to hold, easy to operate



RELIFE



Fixed Line Assembly

Rotate right
Convenient to recycle unused copper braided wire

RELIFE

RELIFE Strong Soldering Wick



5 Specifications



RELIFE
SOLDERING WICK

RL-1520

WIDTH: 1.5mm
LENGTH: 2.0m



RELIFE
SOLDERING WICK

RL-2520

WIDTH: 2.5mm
LENGTH: 2.0m



RELIFE
SOLDERING WICK

RL-2020

WIDTH: 2.0mm
LENGTH: 2.0m



RELIFE
SOLDERING WICK

RL-3020

WIDTH: 3.0mm
LENGTH: 2.0m



RELIFE
SOLDERING WICK

RL-3520

WIDTH: 3.5mm
LENGTH: 2.0m

RELIFE



Product Size



Package Size

Product Parameters

BRAND	RELIFE				
PRODUCT NAME	RELIFE Soldering wick				
MODEL	RL-1520	RL-2020	RL-2520	RL-3020	RL-3520
WIDTH	1.5mm	2.0mm	2.5mm	3.0mm	3.5mm
LENGTH	2.0m				
NET WEIGHT	28.9g	29.4g	30.3g	30.8g	31.2g
GROSS WEIGHT	31.9g	32.4g	33.3g	33.8g	34.2g
PRODUCT SIZE	125*55*21.5mm				
PACKAGE SIZE	92*166mm				